

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L18	1	matrix with quasi with zero and LDPC	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/21 15:27

*Inference Search*  
*3/21/07*  
*SWR*

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	ldpc with check with matrix with unit with quasi with shift with sum with zero	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/21 14:01
L2	0	(ldpc and (check with matrix with unit with quasi with shift with sum with zero))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/21 14:01
L3	0	(ldpc and check and (matrix with unit with quasi with shift with sum with zero))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/21 14:02
L4	0	(ldpc and (matrix with unit with quasi with shift with sum with zero))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/21 14:02
L5	0	matrix with unit with quasi with shift with sum with zero	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/21 14:03
L6	0	matrix with unit with quasi with sum with zero	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/21 14:03
L7	0	matrix with quasi with sum with zero	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/21 14:03
L8	967	matrix with quasi	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/21 14:04

## EAST Search History

L9	35	matrix with quasi with zero	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/21 15:27
L10	0	matrix with quasi with zero with unit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/21 14:04
L11	1	l9 and ldpc	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/21 14:10
L12	441	ldpc with check with matrix	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/21 14:10
L13	124	ldpc with check with matrix with zero	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/21 14:11
L14	0	ldpc with check with matrix with zero with quasi	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/21 14:11
L15	18	ldpc with check with matrix with zero and quasi	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/21 14:50
L16	2	"6633856".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/21 14:51
L17	28	("3542756"   "3665396"   "4295218"   "5396518"   "6473010").PN. OR ("6633856").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/21 14:52

## EAST Search History

L18	1	matrix with quasi with zero and LDPC	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/21 15:27
-----	---	--------------------------------------	---	----	----	------------------

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)[Google](#)[Advanced Search](#)  
[Preferences](#)**Web**Results 11 - 20 of about 12,000 for **ldpc check with matrix with zero with quasi**. (0.07 seconds)**[DOC]** [NASA Goddard Space Flight Center Greenbelt, Maryland 20771 Goddard ...](#)File Format: Microsoft Word - [View as HTML](#)An example of a **quasi-cyclic parity check matrix** is shown in Figure 3. ... The parity **check matrix** for the baselined (8176, 7156) LDPC code is formed by ...[standards.gsfc.nasa.gov/reviews/gsfcd-std-9100/gsfcd-std-9100.doc](#) - Similar pages**CAT.INIST.FR**Since the parity-**check matrix** of a QC-LDPC code consists of circulant permutation matrices or the **zero matrix**, the required memory for storing it can be ...[cat.inist.fr/?aModele=afficheN&cpsidt=16992457](#) - Similar pages**[PDF]** [VARIABLE-RATE LOW-DENSITY PARITY CHECK CODES FOR DVB-S2 APPLICATIONS](#)File Format: PDF/Adobe Acrobat - [View as HTML](#)**check matrix** of an LDPC code. Then choose parameter  $s$  ... As the smaller -matrices are identity **matrix** or **zero** row. inserted identity **matrix** and its cyclic ...[www.iee.org/Events/DVB\\_Honorary.pdf](#) - Similar pages**[PDF]** [Algebraic Constructions of Nonbinary Quasi-Cyclic LDPC Codes ...](#)File Format: PDF/Adobe Acrobat - [View as HTML](#)tions of nonbinary **quasi-cyclic** (QC) LDPC codes based on arrays ... null space over  $GF(q)$  of a sparse parity-**check matrix**  $H$  over ...[ita.ucsd.edu/workshop/07/files/paper/paper\\_151.pdf](#) - Similar pages**[PDF]** [Encoders for Block-Circulant LDPC Codes](#)File Format: PDF/Adobe Acrobat - [View as HTML](#)of the block-circulant structure of the parity **check matrix**. ... [3] R. M. Tanner, "On Graph Constructions for LDPC Codes by Quasi- ...[www.systems.caltech.edu/~jeremy/research/papers/circulant\\_encoders.pdf](#) - Similar pages**[PDF]** [AGGREGATED CIRCULANT MATRIX BASED LDPC CODES Yuming Zhu, Chaitali ...](#)File Format: PDF/Adobe Acrobat - [View as HTML](#)dependencies is to reorder the block rows of the parity **check matrix** ... Architecture for **Quasi-Cyclic LDPC Codes**," in IEEE Int. ...[enws155.eas.asu.edu:8001/confpapers/ldpc.pdf](#) - Similar pages**[PDF]** [Low Density Parity Check Convolutional Codes Derived from Quasi ...](#)File Format: PDF/Adobe Acrobat - [View as HTML](#)can be represented by a semi-infinite low density parity **check matrix** that retains the ... Several **quasi-cyclic** LDPC block codes and their corresponding ...[www.nd.edu/~eecoding/papers/blk\\_fest.pdf](#) - Similar pages**[PDF]** [Space-Time LDPC with Layered Structure for MIMO Systems](#)File Format: PDF/Adobe Acrobat - [View as HTML](#)to develop a **quasi-block** diagonal LDPC space-time structure. The lower triangular structure of the parity **check matrix** introduces correlation between ...[www.merl.com/reports/docs/TR2004-119.pdf](#) - Similar pages**[PDF]** [A Construction for Irregular Low Density Parity Check ...](#)File Format: PDF/Adobe Acrobat - [View as HTML](#)ity **check matrix**  $H(D)$ .  $j \times k$ . of the LDPC convolutional code is ... tional codes based on **quasi-cyclic** block codes," in Proceedings. of ISIT, p. ...[www.math.unizh.ch/fileadmin/user/sridhara/publikation/isit\\_03.pdf](#) - Similar pages**[PS]** [Quasi-cyclic LDPC codes from difference families](#)

File Format: Adobe PostScript - [View as Text](#)  
system are precisely all the non-**zero** elements of ... for **LDPC** codes, max. its. = 50. weight  
of the parity **check matrix** will be constant for ...  
[sigpromu.org/reports/EE05055.ps](#) - [Similar pages](#)

Result Page: **Previous** [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [11](#) **Next**

---

ldpc check with matrix with zero with

[Search within results](#) | [Language Tools](#) | [Search Tips](#)

---

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2007 Google

Google

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

ldpc check with matrix with zero with quasi

Search

[Advanced Search](#)  
[Preferences](#)

Web

Results 1 - 10 of about 12,000 for ldpc check with matrix with zero with quasi. (0.34 seconds)

## Scholarly articles for ldpc check with matrix with zero with quasi

[A construction for low density parity check ...](#) - Sridharan - Cited by 14[Efficient Encoding of Quasi-Cyclic Low-Density ...](#) - Li - Cited by 6[On Regular Quasi-Cyclic LDPC Codes from Binomials](#) - Smarandache - Cited by 5[\[PDF\] On regular quasi-cyclic LDPC codes from binomials - Information ...](#)

File Format: PDF/Adobe Acrobat

matrix  $H(X)$  with all entries either binomials, monomials, or zero. Subsequently, we will mainly focus on type-I and type-II QC LDPC given by parity-check ...

[ieeexplore.ieee.org/iel5/9423/29909/01365314.pdf?arnumber=1365314](#) - Similar pages[\[PDF\] Spectral graphs for quasi-cyclic LDPC codes - Information Theory ...](#)

File Format: PDF/Adobe Acrobat

ated parity-check matrix poses implementation challenges and ... gate algebraic constructions for LDPC codes that are quasi-cyclic, with parity-check ...

[ieeexplore.ieee.org/iel5/7447/20241/00936089.pdf](#) - Similar pages[ More results from [ieeexplore.ieee.org](#) ][\[PDF\] On Regular Quasi-Cyclic LDPC Codes from Binomials](#)File Format: PDF/Adobe Acrobat - [View as HTML](#)

We say that a quasi-cyclic code is of type-I if it is given by a polynomial parity-check matrix  $H(X)$  with all entries either monomials or zero. We say ...

[www-rohan.sdsu.edu/~rsmarand/html/ISIT-long-2004.pdf](#) - Similar pages[\[PDF\] High-Rate Quasi-Cyclic LDPC Codes for Magnetic Recording Channel ...](#)File Format: PDF/Adobe Acrobat - [View as HTML](#)

demonstrated that quasi-cyclic (QC) LDPC codes are one family of such implementation-oriented LDPC codes. The parity check matrix of a QC-LDPC consists of ...

[www.ecse.rpi.edu/homepages/tzhang/RVSAL/pub/LDPCISCAS06.pdf](#) - Similar pages[\[PDF\] Construction of Quasi-Cyclic LDPC Codes Based on the Primitive ...](#)File Format: PDF/Adobe Acrobat - [View as HTML](#)

LDPC code is said to be irregular if its parity-check matrix  $H$  ... zero matrices, no odd number of columns can be added to a zero column. ...

[www288.pair.com/ciss/ciss/numbered/217.pdf](#) - Similar pages[\[PDF\] A Construction for Low Density Parity Check Convolutional Codes ...](#)File Format: PDF/Adobe Acrobat - [View as HTML](#)

These LDPC codes are quasi-cyclic and hence admit a convolutional representation, obtained ... the block code's polynomial-form parity check matrix as the ...

[www.nd.edu/~eencoding/papers/pap\\_summ\\_new.pdf](#) - Similar pages[\[PDF\] Constructions of Nonbinary Quasi-Cyclic LDPC Codes: A Finite Field ...](#)File Format: PDF/Adobe Acrobat - [View as HTML](#)

to construct binary quasi-cyclic (QC)-LDPC codes that perform ... by the null space over GF(q) of a sparse parity-check matrix ...

[ita.ucsd.edu/workshop/06/talks/papers/94.pdf](#) - Similar pages[\[PDF\] Quantum Quasi-Cyclic LDPC Codes](#)File Format: PDF/Adobe Acrobat - [View as HTML](#)

of linear codes is realized to be quasi-cyclic LDPC. Quasi- ... of a parity-check matrix is a zero-matrix, generalizing the difference - by defining ...

[arxiv.org/pdf/quant-ph/0701020](#) - Similar pages

[doc] [NASA Goddard Space Flight Center Greenbelt, Maryland 20771 Goddard ...](#)

File Format: Microsoft Word - [View as HTML](#)

An example of a **quasi**-cyclic parity **check matrix** is shown in Figure 3. ... The parity **check matrix** for the baselined (8176, 7156) **LDPC** code is formed by ...

[standards.gsfc.nasa.gov/reviews/gsfcdstd-9100/gsfcdstd-9100.doc](#) - Similar pages

[CAT.INIST.FR](#)

Since the parity-**check matrix** of a QC-**LDPC** code consists of circulant permutation matrices or the **zero matrix**, the required memory for storing it can be ...

[cat.inist.fr/?aModele=afficheN&cpsidt=16992457](#) - Similar pages

Result Page:    1 2 3 4 5 6 7 8 9 10    **Next**

Download [Google Pack](#): free essential software for your PC

---

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

---

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2007 Google